

Instructions for Eye Drops or Ointment

Please follow your doctor's orders if they differ from the recommendations below

- 1** You must wear eye protection at all times for one week after surgery. It is recommended that you wear your glasses or the metal shield provided. When not wearing your glasses, you should be wearing your metal shield. Sleep with the metal shield in place for one week.
- 2** Wash your hands with soap and water.
- 3** Look toward the ceiling with both eyes open.
- 4** Pull lower lid down — steady your other hand on your forehead.
- 5** Put a drop of medicine or small strip of ointment (1/4 -inch) in the sac behind the lashes of the lower lid.
- 6** The tip of the dropper or ointment tube should not touch the eyeball.
- 7** Do not apply more than one eye medicine at a time. Wait five minutes between each medicine.
- 8** If you are prescribed both ointments and drops, use the ointment after the drops.
- 9** Try to keep your eyes closed for one minute after instilling drops to obtain maximum benefit from medications.

Retina Institute of Hawaii

Yacht Harbor Professional Center
1620 Ala Moana Blvd., #500
Honolulu, HI 96815

T (808) 955-0255
F (808) 955-4155
retinahawaii.com

If you are experiencing a medical emergency, call 9-1-1 immediately.
For post surgery questions or concerns call our office at (808) 955-0255.